

L Number	Hits	Search Text	DB	Time stamp
-	0	(retriev\$3 or quer\$3 or request\$3 or search\$3) same multidemensional	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 16:45
-	969	(retriev\$3 or quer\$3 or request\$3 or search\$3) same (multidimensional or cub)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 16:47
-	140	(retriev\$3 or quer\$3 or request\$3 or search\$3) same (multidimensional or cub) same (scor\$3 or calculat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 16:44
-	391	((retriev\$3 or quer\$3 or request\$3 or search\$3) near5 (data or (example adj2 set))) same multi-dimensional	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 16:48
-	1626	(retriev\$3 or quer\$3 or request\$3 or search\$3) same (multidimensional or cube)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 16:47
-	1731	(retriev\$3 or quer\$3 or request\$3 or search\$3) same (multidimensional or cube\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 16:48
-	534	((retriev\$3 or quer\$3 or request\$3 or search\$3) near5 (data or (example adj2 set))) same (multi-dimensional or cube\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 16:51
-	186	((retriev\$3 or quer\$3 or request\$3 or search\$3) near5 (data or (example adj2 set))) same (multi-dimensional or cube\$1)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 16:49
-	10	(retriev\$3 or quer\$3 or request\$3 or search\$3) same ((scor\$3 or weight\$3) near5 (data or (example adj2 set))) same (multi-dimensional or cube\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 16:55
-	817	((scor\$3 or weight\$3) near4 ((data or sample) adj2 set))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 16:58

-	51	((scor\$3 or weight\$3) near4 ((data or sample) adj2 set\$1)) same (retriev\$3 or request\$3 or search\$3 or quer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 17:05
-	9	((((scor\$3 or weight\$3) near4 ((data or sample) adj2 set\$1)) same (retriev\$3 or request\$3 or search\$3 or quer\$3)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 17:04
-	0	((((scor\$3 or weight\$3) near4 ((data or sample) adj2 set\$1)) same (retriev\$3 or request\$3 or search\$3 or quer\$3)) and 707/\$.ccls. and (cube or multi-dimensional)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 17:05
-	1	((scor\$3 or weight\$3) near4 ((data or sample) adj2 set\$1)) and (retriev\$3 or request\$3 or search\$3 or quer\$3) and (cube or multi-dimension) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 17:06
-	5	((scor\$3 or weight\$3) near4 ((data or sample) adj2 set\$1)) and (retriev\$3 or request\$3 or search\$3 or quer\$3) and (cube or multi-dimension)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 17:06
-	2	((weight\$3 or scor\$3 or rank\$3) near4 (sample adj2 set)) same index\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 11:22
-	1384	((weight\$3 or scor\$3 or rank\$3) near4 ((sample adj2 set) or result\$1)) same index\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 11:24
-	12	((weight\$3 or scor\$3 or rank\$3) near4 ((sample adj2 set) or result\$1)) same multidimensional	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 11:24
-	1	((weight\$3 or scor\$3 or rank\$3) near4 ((sample adj2 set) or result\$1)) same (multidimensional near2 index\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 11:25
-	8	((weight\$3 or scor\$3 or rank\$3) near4 ((sample adj2 set) or result\$1)) and (multidimensional near2 index\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 11:26

-	766	((weight\$3 or scor\$3 or rank\$3) near4 ((sample adj2 set) or result\$1)) and ((multidimensional near2 index\$3) or cube)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 12:23
-	124056	((weight\$3 or scor\$3 or rank\$3) near4 ((sample adj2 set) or result\$1)) sam ((multidimensional near2 index\$3) or cube)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 11:26
-	4	((weight\$3 or scor\$3 or rank\$3) near4 ((sample adj2 set) or result\$1)) same ((multidimensional near2 index\$3) or cube)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 11:27
-	36	((weight\$3 or scor\$3 or rank\$3) near4 ((sample adj2 set) or result\$1)) same ((multidimensional near2 index\$3) or cube)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 11:31
-	4	((weight\$3 or scor\$3 or rank\$3) near4 ((sample adj2 set) or result\$1)) same ((multidimensional near2 index\$3) or cube)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 11:31
-	2	6052693.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 12:24
-	0	((multidimensional adj2 index\$3) same (scor\$3 near3 record\$1)) same (search\$3 or retriev\$3 or request\$3 or search\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 15:01
-	1	((multidimensional adj2 index\$3) same ((scor\$3 or weight\$3 or rank\$3) near3 (result\$1 or sample\$1))) same (search\$3 or retriev\$3 or request\$3 or search\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 15:02
-	1	((multidimensional or cube) adj2 index\$3) same ((scor\$3 or weight\$3 or rank\$3) near3 (result\$1 or sample\$1))) same (search\$3 or retriev\$3 or request\$3 or search\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 15:02
-	2189	((weight\$3 or scor\$3) near4 ((result\$1 or data) near4 set))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 15:04

-	153	((weight\$3 or scor\$3) near4 ((result\$1 or data) near4 set)) same (retriev\$3 or quer\$3 or request\$3 or search\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 15:05
-	61	((((weight\$3 or scor\$3) near4 ((result\$1 or data) near4 set)) same (retriev\$3 or quer\$3 or request\$3 or search\$3)) and ((negative or positive) or (plus or minus))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 15:14
-	24	(((((weight\$3 or scor\$3) near4 ((result\$1 or data) near4 set)) same (retriev\$3 or quer\$3 or request\$3 or search\$3)) and ((negative or positive) or (plus or minus))) and 707/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 15:26
-	87	(scoring adj2 function\$1) same (request\$3 or search\$3 or request\$3 or retrieve\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 15:27
-	97	(scoring adj2 function\$1) same (request\$3 or search\$3 or quer\$3 or retrieve\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 15:27
-	2	(scoring adj2 function\$1) same (request\$3 or search\$3 or quer\$3 or retrieve\$3) same ((sample or result\$1) adj2 set)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 15:29
-	6	((scoring adj2 function\$1) same (request\$3 or search\$3 or quer\$3 or retrieve\$3)) and (sample adj2 set)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 15:29
-	13	((scoring adj2 function\$1) same (request\$3 or search\$3 or quer\$3 or retrieve\$3)) and ((sample or example or train\$) adj2 set)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 15:30
-	0	((((scoring adj2 function\$1) same (request\$3 or search\$3 or quer\$3 or retrieve\$3)) and ((sample or example or train\$) adj2 set)) and 706/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 15:30
-	13	((scoring adj2 function\$1) same (request\$3 or search\$3 or quer\$3 or retrieve\$3)) and ((sample or example or train\$) adj2 set\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 15:34

-	1654	(content-based or similarity or image\$1) same ((sample or example or train\$) adj2 set\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 15:35
-	3754	(content-based or similarity or image\$1) same ((sample or example or train\$) near5 set\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 15:36
-	246	((content-based or similarity or image\$1) same ((sample or example or train\$) near5 set\$1)) and ((scor\$3 or weight\$3) near2 function\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 15:38
-	161	((content-based or similarity or image\$1) same ((sample or example or train\$) near5 set\$1)) and ((scor\$3 or weight\$3) near2 function\$1)) and (positive or negative)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 15:38
-	14	((content-based or similarity or image\$1) same ((sample or example or train\$) near5 set\$1)) and ((scor\$3 or weight\$3) near2 function\$1)) and (positive or negative)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 15:42
-	120	((content-based or similarity or image\$1) same ((sample or example or train\$) near5 set\$1)) and ((scor\$3 or weight\$3) near2 function\$1)) and (positive or negative)) and (search\$3 or quer\$3 or request\$3 or retriev\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 15:43
-	12	((content-based or similarity or image\$1) same ((sample or example or train\$) near5 set\$1)) and ((scor\$3 or weight\$3) near2 function\$1)) and (positive or negative)) and (search\$3 or quer\$3 or request\$3 or retriev\$3)) and 706/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:18
-	29	((content-based or similarity or image\$1) same ((sample or example or train\$) near5 set\$1)) and ((scor\$3 or weight\$3) near2 function\$1)) and (positive or negative)) and (search\$3 or quer\$3 or request\$3 or retriev\$3)) and (cube or multidimensional)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:53
-	0	((content-based or similarity or image\$1) same ((sample or example or train\$) near5 set\$1)) and ((scor\$3 or weight\$3) near2 function\$1)) and (multidimension4 near3 index\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:29
-	0	((scor\$3 or weight\$3) near2 function\$1) same (multidimension4 near3 index\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:31

-	33	((scor\$3 or weight\$3) near2 function\$1) same ((multidimension4 near3 index\$3) or cube)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:31
-	3	((scor\$3 or weight\$3) near2 function\$1) same ((multidimension4 near3 index\$3) or cube)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:33
-	1	((scor\$3 or weight\$3) near2 function\$1) same ((multidimension4 near3 index\$3) or cube)) and 706/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:33
-	52	multidimensional near3 indexing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:34
-	2	(multidimensional near3 indexing) same (weight\$3 or scor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:35
-	0	(multidimensional near3 indexing) same (weight\$3 or rank\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:36
-	22	(multidimensional near3 indexing) and (weight\$3 or rank\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:41
-	25	(multidimensional near3 indexing) and (weight\$3 or rank\$3 or scor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:43
-	30	(two near2 dimensional near3 indexing) and (weight\$3 or rank\$3 or scor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:44
-	2	((mlti-dimensional or multidimensional) near3 indexing) same (weight\$3 or rank\$3 or scor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:44

-	25	((multi-dimensional or multidimensional) near3 indexing) and (weight\$3 or rank\$3 or scor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:45
-	4	((scor\$3 or rank\$3 or weight\$3) near5 ((sample or example or train\$4) near2 set\$1)) same (two-dimensional or multi-dimensional or multidimensional)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:48
-	34	((scor\$3 or rank\$3 or weight\$3) near5 ((sample or example or train\$4) near2 set\$1)) same (search\$3 or retriev\$3 or quer\$3 or request\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:49
-	9	((((scor\$3 or rank\$3 or weight\$3) near5 ((sample or example or train\$4) near2 set\$1)) same (search\$3 or retriev\$3 or quer\$3 or request\$3)) and (multi-dimensional or two-dimensional or mltidimensional)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:50
-	8	search\$3 same (index\$3 near3 (multi-dimension or cube\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:51
-	49	((content-based or similarity or image\$1) same ((sample or example or train\$) near5 set\$1)) and ((scor\$3 or weight\$3) near2 function\$1)) and (cube or multi-dimensional)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:53
-	7	(((((content-based or similarity or image\$1) same ((sample or example or train\$) near5 set\$1)) and ((scor\$3 or weight\$3) near2 function\$1)) and (cube or multi-dimensional)) and 707/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:55
-	3036	707/3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:57
-	0	707/3.ccls. and ((weight\$3 or scor\$3 or rank\$3) near7 ((sample or example or train\$4) near2 set\$1)) and (index\$3 near3 multi-dimension\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:57
-	0	707/\$.cccls. and ((weight\$3 or scor\$3 or rank\$3) near7 ((sample or example or train\$4) near2 set\$1)) and (index\$3 near3 multi-dimension\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:57

-	0	707/\$.cccls. and ((weight\$3 or scor\$3 or rank\$3) with ((sample or example or train\$4) near2 set\$1)) and (index\$3 near3 multi-dimension\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 02:58
-	3698	(seach\$3 or retriev\$3 or request\$3 or quer\$3) same (multi-dimension\$ or multidimension\$ or two-dimension\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 03:08
-	37	((seach\$3 or retriev\$3 or request\$3 or quer\$3) same (multi-dimension\$ or multidimension\$ or two-dimension\$)) and ((scor\$3 or weight\$3 or rank\$3) same ((example or sample or train\$4) near2 set\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 03:01
-	10	((seach\$3 or retriev\$3 or request\$3 or quer\$3) same (multi-dimension\$ or multidimension\$ or two-dimension\$)) and ((scor\$3 or weight\$3 or rank\$3) same ((example or sample or train\$4) near2 set\$1))) and 707/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 03:01
-	135	(seach\$3 or retriev\$3 or request\$3 or quer\$3) same (multi-dimension\$ or multidimension\$ or two-dimension\$) same (weight\$3 or rank\$3 or scor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 03:11
-	56	((seach\$3 or retriev\$3 or request\$3 or quer\$3) same (multi-dimension\$ or multidimension\$ or two-dimension\$) same (weight\$3 or rank\$3 or scor\$3)) and 707/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 03:09
-	5	((seach\$3 or retriev\$3 or request\$3 or quer\$3) same (multi-dimension\$ or multidimension\$ or two-dimension\$) same (weight\$3 or rank\$3 or scor\$3)) and ((sample or example or train\$4) near2 set\$1) and 707/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 03:10
-	27	((seach\$3 or retriev\$3 or request\$3 or quer\$3) same (multi-dimension\$ or multidimension\$ or two-dimension\$) same (weight\$3 or rank\$3 or scor\$3)) and 707/3.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 03:10
-	6	(seach\$3 or retriev\$3 or request\$3 or quer\$3) same ((multi-dimension\$ or multidimension\$ or two-dimension\$) near3 index) same (weight\$3 or rank\$3 or scor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 03:11
-	3	((image\$1 or sample\$1) near2 query) same (weight\$3 or scor\$3 or rank\$3) same (cube or multi-dimension\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 18:19

-	511	((image\$1 or sample\$1 or similarity) near2 query) same (weight\$3 or scor\$3 or rank\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 18:18
-	70	((image\$1 or sample\$1 or similarity) near2 query) same (weight\$3 or scor\$3 or rank\$3)) and (cub\$1 or multidimension\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 18:15
-	41	((image\$1 or sample\$1 or similarity) near2 query) same (weight\$3 or scor\$3 or rank\$3)) and (cub\$1 or multidimension\$3)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 18:16
-	20	((image\$1 or sample\$1 or similarity) near2 query) same (weight\$3 or scor\$3 or rank\$3)) and (cub\$1 or multidimension\$3)) and 707/3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 18:16
-	3	((image\$1 or sample\$1 or train\$3) near2 query) same (weight\$3 or scor\$3 or rank\$3) same (cube or multi-dimension\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 18:20
-	1	((sample or train\$3) near3 image\$1) same (search\$3 or retriev\$3 or quer\$3 or request\$3) same (weight\$3 or scor\$3 or rank\$3) same (cube or multi-dimension\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 18:22
-	10	((sample or train\$3) near3 image\$1) same (weight\$3 or scor\$3 or rank\$3) same (cube or multi-dimension\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 18:22
-	8	((sample or train\$3) near3 image\$1) same (weight\$3 or scor\$3 or rank\$3) same (cube or multi-dimension\$3)) and (search\$3 or quer\$3 or retriev\$3 or request\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 18:25
-	23	(construct\$3 with (scor\$3 or weight\$3) with (cube or multidimensional))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 18:29
-	4	((construct\$3 with (scor\$3 or weight\$3) with (cube or multidimensional))) and (search\$3 or request\$3 or quer\$3 or retrieve\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 18:31

-	0	((sample\$1 or similarity or content-based or scketch) with query) same ((scor\$3 or weight\$3) near4 function) same (cube or multidimensional)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 18:33
-	24	((sample\$1 or similarity or content-based or scketch) with query) same ((scor\$3 or weight\$3) near4 function)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 18:33
-	2	((sample\$1 or similarity or content-based or scketch) with query) same ((scor\$3 or weight\$3) near4 function)) and (cube or multidimensional)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 18:33